Steps to Open and Verify the certificate

- Certificate file received is in pdf format. To open the file and validate the digital signature use Adobe acrodbat reader (version 9 or higher). Please go throgh <u>www.adobe.com</u> for more information.
- 2) To pre validate digital signature certificate, open file using acrobat reader (version 9 or higher) with internet enabled computer/laptop.
- 3) If digital signature is not verified automatically, please follow below steps.
- 4) Right click on question mark on digital signature.



5) Click on Validate signature



6) Click on Signature properties

(and	en e	200 A 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
A REPORT	cire segurture fine proteons.	35) shore on
5 5	Spriture Vertification are subject in the second state of the spriture vertification are subject. 10.3 Spriture vertification and spriture vertification are subject. 10.3 Spriture vertification are strategies and spriture vertification are subject. 10.3 Spriture vertification are subject in the spriture vertification ar	Validity unknown Databaseren of Second Second Restored for the Second Se
	MUMBAI, DATED 06TH FEB 2019 ISSUED IN PURSUANT TO CLAUSE 3 (C) OF THE MEMORANDUM OF ASSOCIATION OF THE INSTITUTE	Dr. J. N. MISRA CHIEF EXECUTIVE OFFICER FOR AND ON BEHALF OF THE GOVERNING COUNCIL
6 9	DEPUTY CHIEF EXECUTIVE OFFICER	Verbying all appratures

7) Click on validate certificate

💈 off segret fol fill - Allia Taales	Togsature Properties	×	- d X
😸 💩 - 🕲 i 🐟 🗢 1 // i 🛎 8 10%.	Signature velidity is UNERCORN Summery Decurrent Signer Date/Term Legal		A system
MUMBAI, DATED 067 ISSUED IN PURSUANT TO CU THE MEMORANDUM OF ASI THE INSTITUTE	Signad by: Dis Holdsbur Test 4 stretzbul@w-muddra.com> Share Cantlasta Rossers Tremminition Completion Cartificate laisaid by CDO IBP Date: 2018/09/17 17:22:23+-05:30* Locateer: Mambe - MDW Values: Surmanay Interface - MDW Mambe - MDW Image: The Constraint has not been modified area this signature was applied. Interface - MDW Image: The Constraint has not been modified area this signature was applied. Image: The Constraint has not been modified area this signature was applied. Image: Tognate's identity is unknown because it has not been statistic lisenthis Image: Tognate's identity is unknown because it has not been statistic lisenthis Image: Tognate's identities and nome of its period coefficates are trusted identities Image: Tognate's identities and nome of its period coefficates are trusted identities Signatese identities and nome of its period.com the signat's computer Signatese identities and nome of its period.com the signat's computer Signatese identities and nome of its period.com the signat's computer Signatese identities and nome of its period.com the signat's computer		Validity unknown Made ageory Bee drynd Triffer Bee drynd Triffer B
DEPUTY CHIEF EXECU	Validate Signature Citize	1	lagrateau
E O Type here to search	in 🕸 📶 🛤 🧔 💀 🏊 📶		∽ tei d> dé the titel tel

8) Signature will get validated (please ensure that PC/Laptop is connected to unrestricted internet)

9) Signature will be validated and you will get Signature valid with green tick mark.



10) To get signature properties, right click on signature, click on signature properties and click on show certificate



11) You will get the signature properties.

2 of open plant which have been	Centificate Viewer	×	
😸 🕹 - 😴 i 🐟 o 🖿 / 1 i 🛎 ti U	This dialog allows you to view the details of a certificate and its estimation insurance chain. The details correspond the selected entry Divou at certification paths found	A spatiation	
MUMBAI, DATED (ISSUED IN PURSUANT TO THE MEMORANDUM OF THE INSTITUTE	Biselekkentres Text & etactionstic Average of Backing Researched Timer Packing in Equipit Nations Biselekkentres Text & etactionstic particulation Biselekkentres Text & etactionstic particulation Biselekkentres Text & etactionstic particulation Biselekkentres Text & etactionstic particulation Biselekkentres Text & etactionstic Biselekkentres Text & etactionstic particulation Biselekkentres Text & etactionstic Biselekkentres Text & etactionstic particulation Biselekkentres Text antidistic Biselekkentres Biselekkentres Text antidistic Biselekkentres Biselekkentres Biselekkentres Biselekkentres Biselekkentres Biselekkent met Biselekkentres Biselekkentres Biselekkent met Biselekkent met Biselekkentres Biselekkent Biselekkentres Biselekkent met Biselekkent met Biselekkentres Biselekkent Biselekkentres Biselekkent met Biselekkent met Biselekkentres Biselekkent Biselekkentres Biselekkent met Biselekkent met Biselekkent met Biselekkentres Biselekkent Biselekkentres Biselekkent met Biselekent Biselekkent met Biselekkent met Biselekken	Hoture valid Magnetic for the second	
DEPUTY CHIEF EXE	30	fant	